


Amendments to the Claims

This listing of claims will replace all prior versions, and listings of claims in the application.

1. (Currently Amended) A composition comprising a synergistically effective active compound combination of ~~anthranilamides~~ at least one anthranilamide of the formula (I)



in which

A¹ and A² independently of one another represent oxygen or sulfur,

X¹ represents N or CR¹⁰,

R¹ represents hydrogen or represents C₁-C₆-alkyl, C₂-C₆-alkenyl, C₂-C₆-alkynyl or C₃-C₆-cycloalkyl, each of which is optionally mono- or polysubstituted, where the substituents independently of one another may be selected from the group consisting of R⁶, halogen, cyano, nitro, hydroxyl, C₁-C₄-alkoxy, C₁-C₄-alkylthio, C₁-C₄-alkylsulfinyl, C₁-C₄-alkylsulfonyl, C₂-C₄-alkoxycarbonyl, C₁-C₄-alkylamino, C₂-C₈-

dialkylamino, C₃-C₆-cycloalkylamino, (C₁-C₄-alkyl)-C₃-C₆-cycloalkylamino and R¹¹,

R² represents hydrogen, C₁-C₆-alkyl, C₂-C₆-alkenyl, C₂-C₆-alkynyl, C₃-C₆-cycloalkyl, C₁-C₄-alkoxy, C₁-C₄-alkylamino, C₂-C₈-dialkylamino, C₃-C₆-cycloalkylamino, C₂-C₆-alkoxycarbonyl or C₂-C₆-alkylcarbonyl,

R³ represents hydrogen, R¹¹ or represents C₁-C₆-alkyl, C₂-C₆-alkenyl, C₂-C₆-alkynyl, C₃-C₆-cycloalkyl, each of which is optionally mono- or polysubstituted, where the substituents independently of one another may be selected from the group consisting of R⁶, halogen, cyano, nitro, hydroxyl, C₁-C₄-alkoxy, C₁-C₄-haloalkoxy, C₁-C₄-alkylthio, C₁-C₄-alkylsulfinyl, C₁-C₄-alkylsulfonyl, C₂-C₆-alkoxycarbonyl, C₂-C₆-alkylcarbonyl, C₃-C₆-trialkylsilyl, R¹¹, phenyl, phenoxy and a 5- or 6-membered heteroaromatic ring, where each phenyl, phenoxy and 5- or 6-membered heteroaromatic ring may optionally be substituted and where the substituents independently of one another may be selected from one to three radicals W or one or more radicals R¹², or

R² and R³ may be attached to one another and form the ring M,

R⁴ represents hydrogen, C₁-C₆-alkyl, C₂-C₆-alkenyl, C₂-C₆-alkynyl, C₃-C₆-cycloalkyl, C₁-C₆-haloalkyl, C₂-C₆-haloalkenyl, C₂-C₆-haloalkynyl, C₃-C₆-halocycloalkyl, halogen, cyano, nitro, hydroxyl, C₁-C₄-alkoxy, C₁-C₄-haloalkoxy, C₁-C₄-alkylthio, C₁-C₄-alkylsulfinyl, C₁-C₄-alkylsulfonyl, C₁-C₄-haloalkylthio, C₁-C₄-haloalkylsulfinyl, C₁-C₄-haloalkylsulfonyl, C₁-C₄-alkylamino, C₂-C₈-dialkylamino, C₃-C₆-cycloalkylamino, C₃-C₆-

trialkylsilyl or represents phenyl, benzyl or phenoxy, each of which is optionally mono- or polysubstituted, where the substituents independently of one another may be selected from the group consisting of C₁-C₄-alkyl, C₂-C₄-alkenyl, C₂-C₄-alkynyl, C₃-C₆-cycloalkyl, C₁-C₄-haloalkyl, C₂-C₄-haloalkenyl, C₂-C₄-haloalkynyl, C₃-C₆-halocycloalkyl, halogen, cyano, nitro, C₁-C₄-alkoxy, C₁-C₄-haloalkoxy, C₁-C₄-alkylthio, C₁-C₄-alkylsulfinyl, C₁-C₄-alkylsulfonyl, C₁-C₄-alkylamino, C₂-C₈-dialkylamino, C₃-C₆-cycloalkylamino, C₃-C₆-(alkyl)cycloalkylamino, C₂-C₄-alkylcarbonyl, C₂-C₆-alkoxycarbonyl, C₂-C₆-alkylaminocarbonyl, C₃-C₈-dialkylaminocarbonyl and C₃-C₆-trialkylsilyl,

R⁵ and R⁸ in each case independently of one another represent hydrogen, halogen or represent in each case optionally substituted C₁-C₄-alkyl, C₁-C₄-haloalkyl, R¹², G, J, -OJ, -OG, -S(O)_p-J, -S(O)_p-G, -S(O)_p-phenyl, where the substituents independently of one another may be selected from one to three radicals W or from the group consisting of R¹², C₁-C₁₀-alkyl, C₂-C₆-alkenyl, C₂-C₆-alkynyl, C₁-C₄-alkoxy and C₁-C₄-alkylthio, where each substituent may be substituted by one or more substituents independently of one another selected from the group consisting of G, J, R⁶, halogen, cyano, nitro, amino, hydroxyl, C₁-C₄-alkoxy, C₁-C₄-haloalkoxy, C₁-C₄-alkylthio, C₁-C₄-alkylsulfinyl, C₁-C₄-alkylsulfonyl, C₁-C₄-haloalkylthio, C₁-C₄-haloalkylsulfinyl, C₁-C₄-haloalkylsulfonyl, C₁-C₄-alkylamino, C₂-C₈-dialkylamino, C₃-C₆-trialkylsilyl, phenyl and phenoxy, where each phenyl or phenoxy ring may optionally be substituted and where the substituents

- independently of one another may be selected from one to three radicals W or one or more radicals R¹²,
- G in each case independently of one another represents a 5- or 6-membered non-aromatic carbocyclic or heterocyclic ring which may optionally contain one or two ring members from the group consisting of C(=O), SO and S(=O)₂ and which may optionally be substituted by one to four substituents independently of one another selected from the group consisting of C₁-C₂-alkyl, halogen, cyano, nitro and C₁-C₂-alkoxy, or independently of one another represents C₂-C₆-alkenyl, C₂-C₆-alkynyl, C₃-C₇-cycloalkyl, (cyano)-C₃-C₇-cycloalkyl, (C₁-C₄-alkyl)-C₃-C₆-cycloalkyl, (C₃-C₆-cycloalkyl)-C₁-C₄-alkyl, where each cycloalkyl, (alkyl)cycloalkyl and (cycloalkyl)alkyl may optionally be substituted by one or more halogen atoms,
- J in each case independently of one another represents an optionally substituted 5- or 6-membered heteroaromatic ring, where the substituents independently of one another may be selected from one to three radicals W or one or more radicals R¹²,
- R⁶ independently of one another represents -C(=E¹)R¹⁹, -LC(=E¹)R¹⁹, -C(=E¹)LR¹⁹, -LC(=E¹)LR¹⁹, -OP(=Q)(OR¹⁹)₂, -SO₂LR¹⁸ or -LSO₂LR¹⁹, where each E¹ independently of one another represents O, S, N-R¹⁵, N-OR¹⁵, N-N(R¹⁵)₂, N-S=O, N-CN or N-NO₂,
- R⁷ represents hydrogen, C₁-C₄-alkyl, C₁-C₄-haloalkyl, halogen, C₁-C₄-alkoxy, C₁-C₄-haloalkoxy, C₁-C₄-alkylthio, C₁-C₄-alkylsulfinyl, C₁-C₄-

- alkylsulfonyl, C₁-C₄-haloalkylthio, C₁-C₄-haloalkylsulfinyl, C₁-C₄-haloalkylsulfonyl,
- R⁹ represents C₁-C₄-haloalkyl, C₁-C₄-haloalkoxy, C₁-C₄-haloalkylsulfinyl or halogen,
- R¹⁰ represents hydrogen, C₁-C₄-alkyl, C₁-C₄-haloalkyl, halogen, cyano or C₁-C₄-haloalkoxy,
- R¹¹ in each case independently of one another represents in each case optionally mono- to trisubstituted C₁-C₆-alkylthio, C₁-C₆-alkylsulfinyl, C₁-C₆-haloalkylthio, C₁-C₆-haloalkylsulfinyl, phenylthio or phenylsulfinyl, where the substituents independently of one another may be selected from the list W, -S(O)_nN(R¹⁶)₂, -C(=O)R¹³, -L(C=O)R¹⁴, -S(C=O)LR¹⁴, -C(=O)LR¹³, -S(O)_nNR¹³C(=O)R¹³, -S(O)_nNR¹³C(=O)LR¹⁴ or -S(O)_nNR¹³S(O)₂LR¹⁴,
- L in each case independently of one another represents O, NR¹⁸ or S,
- R¹² in each case independently of one another represents -B(OR¹⁷)₂, amino, SH, thiocyanato, C₃-C₈-trialkylsilyloxy, C₁-C₄-alkyl disulfides, -SF₅, -C(=E¹)R¹⁹, -LC(=E¹)R¹⁹, -C(=E¹)LR¹⁹, -LC(=E¹)LR¹⁹, -OP(=Q)(OR¹⁹)₂, -SO₂LR¹⁹ or -LSO₂LR¹⁹,
- Q represents O or S,
- R¹³ in each case independently of one another represents hydrogen or represents in each case optionally mono- or polysubstituted C₁-C₆-alkyl, C₂-C₆-alkenyl, C₂-C₆-alkynyl or C₃-C₆-cycloalkyl, where the substituents independently of one another may be selected from the group consisting of R⁶, halogen, cyano, nitro, hydroxyl, C₁-C₄-alkoxy, C₁-C₄-alkylsulfinyl, C₁-

C₄-alkylsulfonyl, C₁-C₄-alkylamino, C₂-C₈-dialkylamino, C₃-C₆-cycloalkylamino or (C₁-C₄-alkyl)-C₃-C₆-cycloalkylamino,

R¹⁴ in each case independently of one another represents in each case optionally mono- or polysubstituted C₁-C₂₀-alkyl, C₂-C₂₀-alkenyl, C₂-C₂₀-alkynyl or C₃-C₆-cycloalkyl, where the substituents independently of one another may be selected from the group consisting of R⁶, halogen, cyano, nitro, hydroxyl, C₁-C₄-alkoxy, C₁-C₄-alkylsulfinyl, C₁-C₄-alkylsulfonyl, C₁-C₄-alkylamino, C₂-C₈-dialkylamino, C₃-C₆-cycloalkylamino and (C₁-C₄-alkyl)-C₃-C₆-cycloalkylamino or represent optionally substituted phenyl, where the substituents independently of one another may be selected from one to three radicals W or one or more radicals R¹²,

R¹⁵ in each case independently of one another represents hydrogen or represents in each case optionally mono- or polysubstituted C₁-C₆-haloalkyl or C₁-C₆-alkyl, where the substituents independently of one another may be selected from the group consisting of cyano, nitro, hydroxyl, C₁-C₄-alkoxy, C₁-C₄-haloalkoxy, C₁-C₄-alkylthio, C₁-C₄-alkylsulfinyl, C₁-C₄-alkylsulfonyl, C₁-C₄-haloalkylthio, C₁-C₄-haloalkylsulfinyl, C₁-C₄-haloalkylsulfonyl, C₁-C₄-alkylamino, C₂-C₈-dialkylamino, C₂-C₆-alkoxycarbonyl, C₂-C₆-alkylcarbonyl, C₃-C₆-trialkylsilyl and optionally substituted phenyl, where the substituents independently of one another may be selected from one to three radicals W or one or more radicals R¹², or N(R¹⁵)₂ represents a cycle which forms the ring M,

R¹⁶ represents C₁-C₁₂-alkyl or C₁-C₁₂-haloalkyl, or N(R¹⁶)₂ represents a cycle which forms the ring M,

R¹⁷ in each case independently of one another represents hydrogen or C₁-C₄-alkyl, or B(OR¹⁷)₂ represents a ring in which the two oxygen atoms are attached via a chain having two to three carbon atoms which are optionally substituted by one or two substituents independently of one another selected from the group consisting of methyl and C₂-C₆-alkoxycarbonyl,

R¹⁸ in each case independently of one another represents hydrogen, C₁-C₆-alkyl or C₁-C₆-haloalkyl, or N(R¹³)(R¹⁸) represents a cycle which forms the ring M,

R¹⁹ in each case independently of one another represents hydrogen or represents in each case mono- or polysubstituted C₁-C₆-alkyl, where the substituents independently of one another may be selected from the group consisting of cyano, nitro, hydroxyl, C₁-C₄-alkoxy, C₁-C₄-haloalkoxy, C₁-C₄-alkylthio, C₁-C₄-alkylsulfinyl, C₁-C₄-alkylsulfonyl, C₁-C₄-haloalkylthio, C₁-C₄-haloalkylsulfinyl, C₁-C₄-haloalkylsulfonyl, C₁-C₄-alkylamino, C₂-C₈-dialkylamino, CO₂H, C₂-C₆-alkoxycarbonyl, C₂-C₆-alkylcarbonyl, C₃-C₆-trialkylsilyl and optionally substituted phenyl, where the substituents independently of one another may be selected from one to three radicals W, C₁-C₆-haloalkyl, C₃-C₆-cycloalkyl or phenyl or pyridyl, each of which is optionally mono- to trisubstituted by W,

M in each case represents an optionally mono- to tetrasubstituted ring which, in addition to the nitrogen atom attached to the substituent pair R¹³ and R¹⁸,

(R¹⁵)₂ or (R¹⁶)₂, contains two to six carbon atoms and optionally additionally a further nitrogen, sulfur or oxygen atom, where the substituents independently of one another may be selected from the group consisting of C₁-C₂-alkyl, halogen, cyano, nitro and C₁-C₂-alkoxy,

W in each case independently of one another represents C₁-C₄-alkyl, C₂-C₄-alkenyl, C₂-C₄-alkynyl, C₃-C₆-cycloalkyl, C₁-C₄-haloalkyl, C₂-C₄-haloalkenyl, C₂-C₄-haloalkynyl, C₃-C₆-halocycloalkyl, halogen, cyano, nitro, C₁-C₄-alkoxy, C₁-C₄-haloalkoxy, C₁-C₄-alkylthio, C₁-C₄-alkylsulfinyl, C₁-C₄-alkylsulfonyl, C₁-C₄-alkylamino, C₂-C₈-dialkylamino, C₃-C₆-cycloalkylamino, (C₁-C₄-alkyl)-C₃-C₆-cycloalkylamino, C₂-C₄-alkylcarbonyl, C₂-C₆-alkoxycarbonyl, CO₂H, C₂-C₆-alkylaminocarbonyl, C₃-C₈-dialkylaminocarbonyl or C₃-C₆-trialkylsilyl,

n in each case independently of one another represents 0 or 1,

p in each case independently of one another represents 0, 1 or 2,


where, if (a) R⁵ represents hydrogen, C₁-C₆-alkyl, C₁-C₆-haloalkyl, C₂-C₆-haloalkenyl, C₂-C₆-haloalkynyl, C₁-C₄-haloalkoxy, C₁-C₄-haloalkylthio or halogen and (b) R⁸ represents hydrogen, C₁-C₆-alkyl, C₁-C₆-haloalkyl, C₂-C₆-haloalkenyl, C₂-C₆-haloalkynyl, C₁-C₄-haloalkoxy, C₁-C₄-haloalkylthio, halogen, C₂-C₄-alkylcarbonyl, C₂-C₆-alkoxycarbonyl, C₂-C₆-alkylaminocarbonyl or C₃-C₈-dialkylaminocarbonyl, (c) at least one substituent selected from the group consisting of R⁶, R¹¹ and R¹² if present and (d) if R¹² is not present, at least one of

the radicals R^6 and R^{11} is different from C_2 - C_6 -alkylcarbonyl, C_2 - C_6 -alkoxycarbonyl, C_2 - C_6 -alkylaminocarbonyl and C_3 - C_8 -dialkylaminocarbonyl, and where the compound of the general formula (I) may also be an N-oxide or salt,

and at least one insecticidally active compound ~~from~~ of group[[s]] 2 below, selected from


A) benzoylureas, preferably

(2-1) chlorfluazuron (~~known from DE A 28 18 830~~)




and/or

(2-2) diflubenzuron (~~known from DE A 21 23 236~~)




and/or

(2-3) lufenuron (~~known from EP A 0 179 022~~)




and/or

(2-4) teflubenzuron (~~known from EP A 0 052 833~~)




and/or

(2-5) triflumuron (~~known from DE A 26 01 780~~)




and/or

(2-6) novaluron (~~known from US 4,980,376~~)




and/or

(2-7) hexaflumuron (~~known from EP A 0 071 279~~)




and/or

(2-8) bistrifluoron (DBI-3204) (~~known from WO 98/00394~~)



and/or

(2-22) flufenoxuron (~~known from EP A 0 161 019~~)



and/or


B) macrolides, preferably

(2-9) emamectin (~~known from EP A 0 089 202~~)

and/or


C) diacylhydrazines, preferably

(2-10) methoxyfenozide (~~known from EP A 0 639 559~~)




and/or

(2-11) tebufenozide (~~known from EP A 339 854~~)




and/or

(2-12) halofenozide (~~known from EP A 0 228 564~~)



and/or

(2-13) chromafenozide (ANS-118) (~~known from EP-A 0 496 342~~)



and/or


(2-14) Trichogramma spp. (~~known from The Pesticide Manual, 11th Edition, 1997, p. 1236~~)

and/or

(2-15) Verticillium lecanii (~~known from The Pesticide Manual, 11th Edition, 1997, p. 1266~~)


and/or

(2-16) fipronil (~~known from EP-A 0 295 117~~)




and/or

(2-17) ethiprole (~~known from DE-A 196 53 417~~)



and/or

(2-18) cyromazine (known from DE A 27 36 876)




and/or

(2-19) azadirachtin (known from The Pesticide Manual, 11th Edition, 1997, p. 59)


and/or

(2-20) diofenolan known from DE A 26 55 910)




and/or

(2-21) indoxacarb (known from WO 92/11249)



2. (Original) The composition as claimed in claim 1 comprising at least one active compound from the group of the anthranilamides of the formula (I-1) in which



in which

- R^2 represents hydrogen or C_1 - C_6 -alkyl,
- R^3 represents C_1 - C_6 -alkyl which is optionally substituted by one R^6 ,
- R^4 represents C_1 - C_4 -alkyl, C_1 - C_2 -haloalkyl, C_1 - C_2 -haloalkoxy or halogen,
- R^5 represents hydrogen, C_1 - C_4 -alkyl, C_1 - C_2 -haloalkyl, C_1 - C_2 -haloalkoxy or halogen,
- R^6 represents $-C(=E^2)R^{19}$, $-LC(=E^2)R^{19}$, $-C(=E^2)LR^{19}$ or $-LC(=E^2)LR^{19}$, where each E^2 independently of one another represents O, S, $N-R^{15}$, $N-OR^{15}$, $N-N(R^{15})_2$, and each L independently of one another represents O or NR^{18} ,
- R^7 represents C_1 - C_4 -haloalkyl or halogen,
- R^9 represents C_1 - C_2 -haloalkyl, C_1 - C_2 -haloalkoxy, $S(O)_p$ - C_1 - C_2 -haloalkyl or halogen,
- R^{15} in each case independently of one another represents hydrogen or represents in each case optionally substituted C_1 - C_6 -haloalkyl or C_1 - C_6 -alkyl, where the substituents independently of one another may be selected from the group consisting of cyano, C_1 - C_4 -alkoxy, C_1 - C_4 -haloalkoxy, C_1 - C_4 -

alkylthio, C₁-C₄-alkylsulfinyl, C₁-C₄-alkylsulfonyl, C₁-C₄-haloalkylthio, C₁-C₄-haloalkylsulfinyl and C₁-C₄-haloalkylsulfonyl,

R¹⁸ in each case represents hydrogen or C₁-C₄-alkyl,

R¹⁹ in each case independently of one another represents hydrogen or C₁-C₆-alkyl,

p independently of one another represents 0, 1, 2.

3. (Currently Amended) The composition as claimed in claim 1 ~~comprising~~ wherein the at least one active compound of group 2 is selected from the group consisting of

(2-5) triflumuron

(2-22) flufenoxuron

(2-9) emamectin

(2-10) methoxyfenozide

(2-16) fipronil

(2-17) ethiprole and

(2-21) indoxacarb.

4. (Currently Amended) The composition as claimed in claim 1 comprising ~~anthranilamides~~ the at least one anthranilamide of the formula (I) and at the least one active compound ~~from~~ of group 2 in a ratio of 200:1 to 1:200.

5. (Cancelled)

6. (Previously Presented) A process for preparing pesticides, characterized in that a synergistically effective mixture as defined in claim 1 is mixed with extenders and/or surfactants.
7. (Previously Presented) A method for controlling animal pests, characterized in that synergistically effective mixtures as defined in claim 1 are allowed to act on animal pests and/or their habitat.
8. (Currently Amended) The composition as claimed in claim 2 comprising ~~anthranilamides~~ the at least one anthranilamide of the formula (I) and the at least one active compound ~~from~~ of group 2 in a ratio of 200:1 to 1:200.
9. (Currently Amended) The composition as claimed in claim 3 comprising ~~anthranilamides~~ the at least one anthranilamide of the formula (I) and the at least one active compound ~~from~~ of group 2 in a ratio of 200:1 to 1:200.
10. (Previously Presented) A process for preparing pesticides, characterized in that a synergistically effective mixture as defined in claim 2 is mixed with extenders and/or surfactants.
11. (Previously Presented) A process for preparing pesticides, characterized in that a synergistically effective mixture as defined in claim 3 is mixed with extenders and/or surfactants.

12. (Previously Presented) A process for preparing pesticides, characterized in that a synergistically effective mixture as defined in claim 4 is mixed with extenders and/or surfactants.
13. (Previously Presented) A process for preparing pesticides, characterized in that a synergistically effective mixture as defined in claim 8 is mixed with extenders and/or surfactants.
14. (Previously Presented) A process for preparing pesticides, characterized in that a synergistically effective mixture as defined in claim 9 is mixed with extenders and/or surfactants.
- ~~14~~ 15. (Currently Amended) A method for controlling animal pests, characterized in that synergistically effective mixtures as defined in claim 2 are allowed to act on animal pests and/or their habitat.
- ~~17~~ 16. (Currently Amended) A method for controlling animal pests, characterized in that synergistically effective mixtures as defined in claim 3 are allowed to act on animal pests and/or their habitat.
- ~~18~~ 17. (Currently Amended) A method for controlling animal pests, characterized in that synergistically effective mixtures as defined in claim 4 are allowed to act on animal pests and/or their habitat.

19 18. (Currently Amended) A method for controlling animal pests, characterized in that synergistically effective mixtures as defined in claim 8 are allowed to act on animal pests and/or their habitat.

20 19. (Currently Amended) A method for controlling animal pests, characterized in that synergistically effective mixtures as defined in claim 9 are allowed to act on animal pests and/or their habitat.

20. (New) The composition according to claim 1 wherein:

R² represents hydrogen or methyl,

R³ represents C₁-C₄-alkyl,

R⁴ represents methyl, trifluoromethyl, trifluoromethoxy, fluorine, chlorine, bromine or iodine,

R⁵ represents hydrogen, fluorine, chlorine, bromine, iodine, trifluoromethyl or trifluoromethoxy,


R⁷ represents chlorine or bromine, and

R⁹ represents trifluoromethyl, chlorine, bromine, difluoromethoxy or trifluoroethoxy.


21. (New) The composition according to claim 20 wherein the at least one active compound of group 2 is fipronil (2-16).

22. (New) The composition according to claim 21 wherein the ratio of the at least one anthranilamide of formula (I) and fipronil (2-16) is from 10:1 to 1:10.


23. (New) The composition according to claim 22 wherein the ratio of the at least one anthranilamide of formula (I) and fipronil (2-16) is from 5:1 to 1:5.
24. (New) The composition according to claim 23 wherein the ratio of the at least one anthranilamide of formula (I) and fipronil (2-16) is 1:5.
25. (New) The composition according to claim 20 wherein the at least one active compound of group 2 is ethiprole (2-17).
26. (New) The composition according to claim 25 wherein the ratio of the at least one anthranilamide of formula (I) and ethiprole (2-17) is from 10:1 to 1:10.
27. (New) The composition according to claim 26 wherein the ratio of the at least one anthranilamide of formula (I) and ethiprole (2-17) is from 5:1 to 1:5.
28. (New) The composition according to claim 27 wherein the ratio of the at least one anthranilamide of formula (I) and ethiprole (2-17) is 1:5.
29. (New) The composition according to claim 20 wherein the at least one anthranilamide of formula (I-1) is




30. (New) The composition according to claim 20 wherein the at least one anthranilamide of formula (I-1) is




31. (New) The composition according to claim 20 wherein the at least one anthranilamide of formula (I-1) is




32. (New) The composition according to claim 20 wherein the at least one anthranilamide of formula (I-1) is



33. (New) The composition according to claim 20 wherein the at least one anthranilamide of formula (I-1) is



34. (New) The composition according to claim 20 wherein the at least one anthranilamide of formula (I-1) is



36. (New) The composition according to claim 35 wherein the at least one active compound of group 2 is fipronil (2-16).
37. (New) The composition according to claim 36 wherein the ratio of the compound (I-1-9) to fipronil (2-16) is 1:1.



38. (New) The composition according to claim 35 wherein the at least one active compound of group 2 is ethiprole (2-17).
39. (New) The composition according to claim 38 wherein the ratio of the compound (I-1-9) to ethiprole (2-17) is 1:1.